

DS-MH1411-N1
Body Camera Charge Cradle




- Charges DS-MH2311 series body camera and copies data
- Charges battery of DS-MH2311 series body camera
- Compact appearance
- Connectable to dock station

▪ Specification

Model		DS-MH1411-N1
General	Power Supply	5.4 VDC/2.2 A
	Charging Current	1 A for DS-MH2311, DS-MCW409 and DS-MCW40C series body camera; 500 mA for the battery of the body camera
	Charging Duration for Body Camera Battery	Approx. 8 hours (connected with dock station), Approx. 3 hours without host (connected with adaptor), Approx. 8 hours with host (connected with adaptor)
	Charging Duration for Body Camera Host	Approx. 5.5 hours (connected with dock station), Approx. 3.5 hours (connected with adaptor),
Indicator Status	Power	,Solid red: the power supply is normal.,
	Charge	Solid red: the body camera or battery is being charged., Solid green: the body camera or battery is fully charged.
	Power:	,Solid red: the power supply is normal.,
	Charge:	Solid red: the body camera or battery is being charged., Solid green: the body camera or battery is fully charged.
Performance	Working Temperature	0 °C to +45 °C (+32 °F to +113 °F)
	Working Humidity	≤ 90%

▪ Dimension



▪ Accessory



DS-MH2311/5G(C)

See Far, Go Further



www.hikvision.com
support@hikvision.com

