

THC-B120-P 2 MP Fixed Mini Bullet Camera



- 1080p bullet camera
- Smart IR: up to 20 m IR distance
- Water and dust resistant (IP66)
- 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).

▪ Specification


Camera	
Image Sensor	2 MP CMOS
Max. Resolution	1920 (H) × 1080 (V)
Min. Illumination	0.01 Lux@(F2.0, AGC ON), 0 Lux with IR
Shutter Time	PAL: 1/25 s to 1/50,000 s; NTSC: 1/30 s to 1/50,000 s
Day & Night	IR Cut Filter
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°
Signal System	PAL/NTSC
Lens	
Lens Type	2.8 mm, 3.6 mm and 6 mm
Focal Length & FOV	2.8 mm, horizontal FOV: 103° 3.6 mm, horizontal FOV: 80.7° 6 mm, horizontal FOV: 50.1°
Lens Mount	M12
Illuminator	
Supplement Light Range	Up to 30 m
Image	
Image Settings	Brightness, Mirror, Sharpness, AGC
Frame Rate	PAL: 1080p@25fps NTSC: 1080p@30fps
Day/Night Mode	Auto/Color/BW (Black and White)
Image Enhancement	DWDR, BLC
Supplement Detection(PIR)	
PIR Range	Up to 20 m
Interface	
Video Output	Switchable TVI/AHD/CVI/CVBS, 1 HD analog output
General	
Power	12 VDC ± 25%, max. 4 W
Material	Plastic
Dimension	152.8 mm × 60.9 mm × 57.9 mm (6.01" × 2.40" × 2.28")
Weight	150 g (0.33 lb.)
Operating Condition	-40 °C to 60 °C (-40 °F to 140 °F), humidity 90% or less (non-condensing)
Language	English
Approval	
Protection	IP66

▪ Available Model

THC-B120-P(2.8mm)
 THC-B120-P(3.6mm)
 THC-B120-P(6mm)
 THC-B120-P(2.8mm)(B)
 THC-B120-P(3.6mm)(B)
 THC-B120-P(6mm)(B)
 THC-B120-P(2.8mm)(TUR Tesan)
 THC-B120-P(2.8mm)(CHILE DEPT)

THC-B120-P(3.6mm)(INA HiLook)(B)
 THC-B120-P(2.8mm)(HIK CANADA)
 THC-B120-P(2.8mm)(DIGITAL)(B)
 THC-B120-P(2.8mm)(BRA)
 THC-B120-P(3.6mm)(DIGITAL)(B)

▪ Dimension



▪ Accessory

▪ Optional

HIA-J101



▪ Installation Methods

Junction Box
 HIA-J101



See Far, Go Further



www.hikvision.com
support@hikvision.com



© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

HiLook