

DS-PDMC-EG2-WB

DS-PDMC-EG2-WB is a wireless opening detector that notifies of first signs of roomintrusion by means of a broken door or window. It can be mounted on all types of doors including metal base and the onboard inputs will allow user to extend applications by wiring to different wired sensors.

- Slim design for an unobtrusive (unnoticeable) installation
- Fully remote configurable through App
- Multiple enrollment methods and easy installation design
- Frequency hopping against jamming for reliable transmission



Specification

Specification			
Detection Performance			
Detection Method	Opening Contact		
Detection Gap	43mm Max		
Feature			
Digital Processing	Support		
Tamper Protection	Front,Rear		
Environment Temperature	Cumout		
Indicator	Support		
Signal Strength Indicator	Support		
Interface			
AlarmInput	Normally Closed, Normally Open, Impulse Count		
Power Switch	Power Up Enrolling		
LED Indicator	Blue (Alarm)		
Transmission			
Transmission Technology	Tri-X Wireless		
Transmission Method	Two-Way RF Wireless		
Transmission Frequency	433MHz		
Transmission Security	AES-128 Encryption		
Transmission Range(Free Space)	1.2Km		
Frequency Hopping	Support		
Enrolling Method	Power up,Remote ID,QR Code		
Electrical Characteristics			
Standard Battery Life	Up to 5 years (standby time)		
Power Supply	Battery Powered		
Battery Type	CR123A x 1		
Typical Voltage	3V		
General			
Operation Temperature	-10 °C to 55 °C (14 °F to 131 °F)		
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)		
Operation Humidity	10% to 90%		
Dimension(WxHxD)	22.5mm × 103mm × 23.2mm		
	13mm × 34.4mm × 11.4mm		
Weight	59g		
Application Scenario	Indoor		

Available Model

DS-PDMC-EG2-WB



Accessory

Optional

DS-PDB-MC-Adapter	DS-PDB-MC-Brown	DS-PWA96-Kit-WB/ 12V	DS-PDP-IN-CR123A Indoor Detector Battery
11			+ CR123A 3.0V -



Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision_Global





