


DS-K1A8503MF-B**K1A8503 Value Series Fingerprint Time Attendance Terminal**

- 2.4-inch LCD Display Fingerprint Time Attendance Terminal, Built-in M1 card reading module
- Communication: TCP/IP , ISUP5.0
- 1000 users, 1000 fingerprints , 1000 cards and Max. 100,000 event records
- Supports Time Attendance function, generating Reports
- Automatically, Optical Fingerprint Module
- Power supply : 5 VDC/1 A
- Supports Lithium Battery

▪ Specification

Display	
Screen size	2.4-inch
Type	LCD-TFT display screen
Network	
Wired network	TCP/IP, 10/100Mbps, self-adaptive
Interface	
Network interface	1
USB	1
Authentication	
Fingerprint module	Optical fingerprint module
Fingerprint comparing mode	1:1 and 1:N
Card type	M1 card
General	
Battery	Support
Power supply	5 VDC/1 A
Working temperature	-10 °C to +55 °C (14 °F to +131 °F)
Working humidity	10% to 90% (no condensing)
Dimensions	140 mm × 155 mm × 30 mm (5.51" × 6.01" × 1.18")
Installation	Wall mounting
Application environment	Indoor
Color	White

▪ Dimension



See Far, Go Further



www.hikvision.com
support@hikvision.com



© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

HIKVISION[®]