

DS-TMG001-5

Octagonal Straight Boom Pole



- Straight boom pole


▪ Specification

Boom Pole	
Boom Pole Dimensions (with Package)	2 m octagonal boom pole: 108 × 55 × 2010 mm (4.25 × 2.17 × 79.13 inch) 3 m octagonal boom pole: 108 × 55 × 3010 mm (4.25 × 2.17 × 118.50 inch) 4 m octagonal boom pole: 108 × 55 × 4010 mm (4.25 × 2.17 × 157.87 inch) 5 m octagonal boom pole: 129 × 65 × 5010 mm (4.69 × 2.56 × 197.24 inch) 6 m octagonal boom pole: 129 × 65 × 6010 mm (4.69 × 2.56 × 236.61 inch)
Boom Pole Weight (with Package)	2 m octagonal boom pole: 2.7 ± 0.3 kg (5.95 ± 0.66 lb.) 3 m octagonal boom pole: 3.0 ± 0.3 kg (6.61 ± 0.66 lb.) 4 m octagonal boom pole: 3.65 ± 0.3 kg (8.05 ± 0.66 lb.) 5 m octagonal boom pole: 6.1 ± 0.3 kg (13.45 ± 0.66 lb.) 6 m octagonal boom pole: 7.0 ± 0.3 kg (15.43 ± 0.66 lb.)
General	
Weight	2 m octagonal boom pole: 2.5 ± 0.3 kg (5.51 ± 0.66 lb.) 3 m octagonal boom pole: 2.8 ± 0.3 kg (6.17 ± 0.66 lb.) 4 m octagonal boom pole: 3.45 ± 0.3 kg (7.60 ± 0.66 lb.) 5 m octagonal boom pole: 5.9 ± 0.3 kg (13.00 ± 0.66 lb.) 6 m octagonal boom pole: 6.8 ± 0.3 kg (15.21 ± 0.66 lb.)
Boom Pole Dimension	2 m octagonal boom pole: 98 × 45 × 2000 mm (3.86 × 1.77 × 78.74 inch) 3 m octagonal boom pole: 98 × 45 × 3000 mm (3.86 × 1.77 × 118.11 inch) 4 m octagonal boom pole: 98 × 45 × 4000 mm (3.86 × 1.77 × 157.48 inch) 5 m octagonal boom pole: 119 × 52 × 5000 mm (4.69 × 2.05 × 196.85 inch) 6 m octagonal boom pole: 119 × 52 × 6000 mm (4.69 × 2.05 × 236.22 inch)
Boom Pole Material	Aluminium profile


▪ Dimension




2 m octagonal boom pole




3 m octagonal boom pole




4 m octagonal boom pole




5m octagonal pole




6m octagonal pole



2 m octagonal boom pole
 3 m octagonal boom pole
 4 m octagonal boom pole



5 m octagonal boom pole
6 m octagonal boom pole



▪ Accessory



DS-TMG520



DS-TMG420#EU



DS-TMG520/B



DS-TMG420



DS-TMG520/A/B

See Far, Go Further



www.hikvision.com
support@hikvision.com

