

AE-DC8222-C8PRO Dash Cam



- Up to 3000*1688P high resolution, with horizontal 127°wide angle, diagonal 151°.
- F1.55 super large aperture offer a perfect night image.
- Support built-in MIC and speaker for audio in and out.
- Display: 2.45 inches IPS screen, Resolution : 240*320.
- Built-in WIFI module and WIFI AP function supported.
- Built-in G-Sensor module, support video recording linkage at car crash or strong vibration. (Linkage video record can be configured be no-overwritten)
- TF card for video recording, up to 256GB. (Overwriting supported)
- Phone App: live view, record playback and parameter configuration.
- Voice recognition supported : Snapshot, Recording on, Recording off.
- ADAS supported: "Traffic light turn green", "Speed limit recognition", "Front car start remind".
- Easy installation and user friendly, plug and play. (Automatically recording after power on)
- Low power consumption and high performance.

▪ Specification

Model		AE-DC8222-C8PRO
Camera	GPS	YES
	WiFi	YES
	Resolution	3000*1688P @30fps 3000*1688P @25fps+1080P@25fps 2560*1440P @60fps
	Max. Resolution	3000*1688@30fps
	Video Compression	H.265
	FOV	Front camera 151°(D),127°(H),67°(V) Rear camera 124°(D),102°(H),53°(V)
	Sensor	G-Sensor
	Image Sensor	CMOS
	Storage	TF card, 32GB to 256 GB
	Local Storage	YES
	ADAS	YES
	Speech recognition	YES
Lens	Aperture	F1.55
Interface	Power Interface	TYPE-C
	4G Box	YES
General	Camera Dimension	104.6mm×49.2mm×39.4mm(4.12" x 1.94" x 1.55")
	Camera Weight	≈152g
	Online Upgrade	YES
	Power Supply	5V 2A
	Working temperature	-20°C - 70°C
	Working humidity	0 ~ 95%
	OSD	Display time, date, etc.
	Image format	JPG

▪ Available Model

AE-DC8222-C8PRO(3.5K)

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq