

DS-D4225CO-1BAB P2.5 Outdoor Fixel LED Display Unit



- Widely applied in outdoor permanent advertising scenes
- High-precision diecasting aluminium structure design ensures a thin and highly flat cabinet
- Thin and light cabinet with the die-casting aluminum design
- With multiple ventilation modes working together inside the cabinets
- It also supports automatic dehumidification to effectively protect the lamp bead during long-term use or in humid environments



Specification

Display	
White Balance Brightness	4500 nit (Factory preset brightness)
	5000 nit (Peak)
Color Temperature	2000 ~ 14000K adjustable
Viewing Angle	Horizontal 160°, vertical 140°
Contrast Ratio	≥ 5000:1
Color Uniformity	≤ ± 0.003Cx , Cy
Brightness Uniformity	≥ 97%
Cabinet	
Pixel Configuration	SMD Triad LED
Pixel Pitch Category	P2.5
Pixel Pitch	2.5 mm
Modules Component	3×6
Dimensions (W × H × D)	960 mm × 960 mm × 94 mm
Resolution	384 × 384
Area	0.9216 m ²
Weight	32.95 kg
Pixel Density	160000 dots/m ²
Lamp Board Housing	With housing
Cabinet Material	Diecasting Aluminium
Maintenance Method	Back maintenance
Cabinet Flatness	0.2 mm
Protection Level	Front IP65/Rear IPX5
Key Material	
Lamp Encapsulation	1415
Control System	DS-D42C04-H
Processing Performance	
Driving Method	Constant current driving
Frame Frequency	60 Hz
Refresh Rate	Up to 3840 Hz
Grey Level	Up to 14 bit
Power	
Power Supply	110~220 VAC ±15%
Max. Consumption	≤ 500 W/m² (4500nits)
Average Consumption	≤ 170 W/m² (4500nits)
Working Environment	
Working Temperature	-20 °C to 50 °C (-4 °F to 120 °F)
Working Humidity	10%~80%RH
Storage Humidity	10%~90%RH
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
Relative Humidity	Notice: If used in the following scenarios, please communicate with headquarters for
	customization : 1) Seaside 2) Swimming pool 3) Ambient temperature ≤-40°C




General	
Gross Weight	150 kg /4 in 1
Package Dimension (W \times H \times D)	1108mm x 703mm x 1194mm
Lifespan	Lamp 100,000 hours

Available Model

DS-D4225CO-1BAB 960*960/Aluminum
DS-D4225CO-1BAB 960*960/Aluminum/Croatia

Dimension



See Far, Go Further



www.hikvision.com support@hikvision.com















