

DS-PS1-I-WE(B)/Black/Blue **Wireless Internal Sounder**



- 868 MHz two-way wireless communication
- Configurable arming/disarming prompt sound and LED indicator
- 3 years battery life span (triggered every two weeks and alerting 90 sec for each triggering)
- AES-128 encryption
- Front and rear panel tamper-proof
- 3 kinds of alarm sounds: fire alarm, panic alarm, and intrusion alarm
- Buzzer Decibel: 90 to 110 dB
- Fully remote configurable through APP
- Multiple enrollment methods and easy installation design
- Frequency hopping against jamming for reliable transmission

▪ Specification

Model		DS-PS1-I-WE(B)/Black/Blue
Electrical characteristics	Operation humidity	10% to 90% (no condensing)
	Operation temperature	-10 °C to 55 °C (14 °F to 131 °F)
	Battery life span	Up to 3 years (standby time)
Wireless transmission	RF frequency	868 MHz
	RF modulation	2GFSK
	RF distance	1.6 km (open area)
General	Dimension(W xHxD)	88 mm × 88 mm × 32 mm (3.46" ×3.46" × 1.26")
	Shell material	PC+ABS
	Color	Blue/Red LED flash
	Weight	169.5 g (6.0 oz)

See Far, Go Further



www.hikvision.com
support@hikvision.com

