

AE-DC2022-V200

- 2-channel Dashcam :Front and cabin[IR] Dash Cam , front view up to 1080P FHD resolution, diagonal 134°angle ;cabin view up to 720P HD resolution with IR , diagonal 124°angle
- F2.0 aperture offers a perfect night image in front view , F2.2 aperture with 3DDNR offers a good IR night image in interior view.
- Built-in GPS module supports speed display and route tracking playback.
- Built-in 4G module,supports check the vehicle position remotely
- Built-in MIC and speaker for audio in and out.
- Built-in WIFI module and WIFI AP function supported.
- Built-in G-Sensor module, supports video recording linkage locked at car crash or strong vibration. (Linkage video recording can be configured to be no-overwritten).
- TF card for video recording, 32GB to 256GB (Overwriting supported).
- Phone App: live view, record playback and parameter configuration.
- ADAS support: Driving time reminder



▪ Specification

Camera	
GPS	YES
Wi-Fi Support	YES
Resolution	Front 1080P; Interior 720P
Max. Resolution	Front 1080P; Interior 720P
Video Compression	H.265
FOV	Front: horizontal 111°, vertical 58°, diagonal 134° Interior: horizontal 105°, vertical 58°, diagonal 124°
Sensor	G-Sensor
Image Sensor	CMOS
Storage	TF Card: 32 GB to 256 GB
ADAS	NO
Lens	
Lens Type	Front: F2.0; Interior: F2.2
Aperture	Front: F2.0; Interior: F2.2
Interface	
Power Interface	type-c
General	
Camera Dimension	101.3 mm × 43.8 mm × 42.7 mm
Software Reset	YES
Online Upgrade	YES
Power Consumption and Current	≤6.5W
Power Supply	12VDC, 2 A
Working temperature	-20 °C to 70 °C (-4 °F to 158 °F)
Working humidity	0% to 95%
Image format	JPG

▪ Available Model


AE-DC2022-V200(2CH)

▪ Dimension




▪ **Accessory**

▪ **Included**



▪ **Optional**



See Far, Go Further



www.hikvision.com
support@hikvision.com

