


DS-QAE0103G1E-V
Analog Cabinet Speaker 3W



- 3 -inch
- Rated Power: 3 W
- Sensitivity(1 m, 1 W): 88 dB $\pm$ 3 dB
- Max. SPL: 96 dB
- Frequency Response: 200 Hz to 16 kHz
- White


▪ Specification

Speaker	
Impedance	8 Ω
Frequency Response	200Hz to 16kHz(-3dB)
Maximum Sound Pressure Level	96dB
Rated Power	3W
Sensitivity(1 m, 1 W)	88 $\pm$ 3dB
Speaker Unit	3"x1
Interface	
Audio In	Constant voltage input: 70/100V Constant impedance input: 8 Ω
General	
Material	Metal and plastic
Dimension	120mmx120mmx60mm
Package Dimension	125mmx60mmx129mm
Weight	Approx. 352g
With Package Weight	Approx. 368g
Packing List	Device $\times$ 1 Quick Start Guidex1
Operating Temperature	-10 $^{\circ}$ C to 50 $^{\circ}$ C(14 $^{\circ}$ F to 122 $^{\circ}$ F)
Operating Humidity	< 90% (No condensation)

▪ Available Model

DS-QAE0103G1E-V

▪ Dimension



See Far, Go Further



www.hikvision.com
support@hikvision.com

