

DS-C66S-04HO 4-Channel HDMI Output Board



- Provides 4 channels of HDMI ports.
- Supports HDMI composite audio output


▪ Specification

Video Wall	
Layers	16 layers of 2K/4K per port
Audio Input	
Audio Sampling Rate	48 kHz
Video Output	
Max. Video Output Resolution	1080P
Video Output Resolution	1920 × 1200@60 Hz, 1600 × 1200@60 Hz, 1920 × 1080@60 Hz, 1680 × 1050@60 Hz, 1280 × 720@60 Hz, 1280 × 1024@60 Hz, 1024 × 768@60 Hz Supports LED screen, custom resolution output, 60 Hz loading output, and 2.6 MP loading with width ranging from 144 to 3840 and height ranging from 144 to 2160.
Video Output Interface Type	HDMI1.4
Loading Capacity for Video Output to LED	Single port load 2.6 MP, Width 144 - 3840, Height 144 - 2160
Video Output Interfaces	4
Audio Output	
Audio Output Interface	4 × in-band audio

▪ Available Model

DS-C66S-04HO

▪ Dimension



See Far, Go Further



www.hikvision.com
support@hikvision.com



© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

HIKVISION®