

DS-D42MF2D**Front maintenance tool for DS-D42XXCEXX-1AP**

DS-D42MF2C is a LED front maintenance Tool for LED modules installation and maintenance use. It can help simplify the LED module build and dismantle work.

Maintenance at the front of screen, modules, receiving card and power supply can be replaced at the front side of screen.

- Front maintenance tool for disassembling LED Display module
- Flexible installation
- Package with flight case, well protected
- Most used for front maintenance of small pixel pitch LED display
- Easy to use

▪ Specification

Product Model	
Product Model	DS-D42MF2D
Module	
Dimensions (W × H × D)	130 mm × 190 mm × 200 mm (5.1" × 7.5" × 7.9")
Power	
Battery Charging	DC 25.2 V, 1.0 A
Battery Capacity	3000 mAh, 64.8 Wh
General	
Power Consumption	≤ 300 W
Battery	Lithium ion battery, DC 21.6 V
Net Weight	0.98 kg ± 0.5 kg
Gross Weight	2.78 kg ± 0.5 kg
Color	Gray
Casing Material	PC + ABS
Packing List	LED Maintenance Tool × 1, Power Adapter × 1, Front Maintenance Wrench × 2, Regulatory compliance and safety information manual × 1, Quick start guide (English) × 1

▪ Accessory



DS-D4229CE22-1AP



DS-D4239CE24-1AP



DS-D4225CE22-1AP



DS-D4229CE24-1AP



DS-D4229CE-1AP/M



DS-D4239CE-1AP/M



DS-D4239CE22-1AP



DS-D4225CE-1AP/M

See Far, Go Further



www.hikvision.com
support@hikvision.com

