


## DS-7608NXI-I2/8P/S 8-ch 1U 8 POE AcuSense 4K NVR



- H.265+/H.265/H.264+/H.264 video formats
- Intelligent analytics based on deep learning algorithm
- Up to 4-ch perimeter protection
- Up to 4-ch facial recognition for video stream
- Up to 8-ch facial recognition for face picture
- Up to 8-ch IP camera inputs
- Up to 32-ch 1080p decoding capability
- Up to 8-ch IP speakers can be connected

## ▪ Function

### Compression and Recording

- H.265+ compression effectively reduces the storage space by up to 75%
- Full channel IP cameras connection
- Compatible to third-party network cameras

### HD Video Output

- Provide independent HDMI and VGA outputs
- HDMI video output at up to 4K resolution

### Storage and Playback

- Up to 2 SATA interfaces for HDD connection
- 8-ch synchronous playback at up to 1080p resolution

### Smart & POS Function

- Support multiple VCA (Video Content Analytics) events
- Smart search for the selected area in the video, and smart playback to improve the playback efficiency
- POS information overlay on live view and playback
- POS triggered recording and alarm

### Network & Ethernet Access

- 8 independent PoE network interfaces
- 1 self-adaptive 10/100/1000 Mbps Ethernet interfaces
- Hik-Connect & DDNS (Dynamic Domain Name System) for easy network management

## ▪ Specification

| Intelligent Analytics |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AI by NVR             | DS-7608NXI-I2/8P/S:Facial recognition, perimeter protection, motion detection 2.0<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Facial recognition, perimeter protection, motion detection 2.0                                                                                                                                                                           |
| AI by Camera          | DS-7608NXI-I2/8P/S:Facial recognition, perimeter protection, video structuralization, throwing objects from building, motion detection 2.0, ANPR, people counting, VCA<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Facial recognition, perimeter protection, video structuralization, throwing objects from building, motion detection 2.0, ANPR, people counting, VCA |
| Engine                | DS-7608NXI-I2/8P/S:1, engine mode is adjustable<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):1, engine mode is adjustable                                                                                                                                                                                                                                               |

| Facial Recognition                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Face Picture Library                       | <p>DS-7608NXI-I2/8P/S:Up to 16 face picture libraries, with up to 50,000 face pictures in total (each picture ≤ 512 KB, total capacity ≤ 1 GB)</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:Up to 16 face picture libraries, with up to 10,000 face pictures in total (each picture ≤ 512 KB, total capacity ≤ 150 MB)</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Up to 16 face picture libraries, with up to 50,000 face pictures in total (each picture ≤ 512 KB, total capacity ≤ 1 GB)</p> |
| Face Picture Comparison                    | <p>DS-7608NXI-I2/8P/S:8-ch</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):8-ch</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:4-ch face picture comparison alarm</p>                                                                                                                                                                                                                                                                                                                                 |
| Facial Detection and Analytics             | <p>DS-7608NXI-I2/8P/S:Face picture comparison, human face capture, face picture search</p> <p>Face picture comparison, human face capture, face picture search</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Facial Detection and Analytics Performance | <p>DS-7608NXI-I2/8P/S:4-ch human face capture (HD network camera, up to 8 MP, H.264/H.265)</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:1-ch human face capture (HD network camera, up to 8 MP, H.264/H.265)</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):4-ch human face capture (HD network camera, up to 8 MP, H.264/H.265)</p>                                                                                                                                                               |

| Motion Detection 2.0   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Human/Vehicle Analysis | <p>DS-7608NXI-I2/8P/S:N/A</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:8-ch</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):</p>                                                                                                                                                                                                                                            |
| By NVR                 | <p>DS-7608NXI-I2/8P/S:All channels for Hikvision cameras</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):All channels for Hikvision cameras</p>                                                                                                                                                                               |
| By Camera              | <p>DS-7608NXI-I2/8P/S:All channels</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):All channels</p>                                                                                                                                                                                                                           |
| Perimeter Protection   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Human/Vehicle Analysis | <p>DS-7608NXI-I2/8P/S:N/A</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:Up to 4-ch 2 MP (H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):</p> <p>DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道:Up to 4-ch 2 MP (H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm</p> <p>Up to 12 rules in total</p> |

|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| By NVR    | <p>DS-7608NXI-I2/8P/S:4-ch, 2 MP (H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm;<br/>Up to 12 rules in total</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP: DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):4-ch, 2 MP (H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm;<br/>Up to 12 rules in total</p> |
| By Camera | <p>DS-7608NXI-I2/8P/S:All channels</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP: DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):All channels</p>                                                                                                                                                                                                                                 |

| ANPR               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| By Camera          | <p>DS-7608NXI-I2/8P/S:All channels</p> <p>Support Countries &amp; Regions:</p> <ol style="list-style-type: none"> <li>1. Myanmar, Philippines, Indonesia, Vietnam, Pakistan, New Zealand, Australia, Sri Lanka, Singapore, Malaysia</li> <li>2. Turkey, Croatia, Slovakia, Czech Republic, Bulgaria, Macedonia, Hungary, Greece, Poland, France, Netherlands, Switzerland, Spain, The United Kingdom, Ireland, Germany, Italy, Austria, Palestine, Latvia, Lithuania, Estonia, Belgium, Luxembourg, Ukraine, Uzbekistan, Kazakhstan, Mongolia, Moldova, Kyrgyzstan, Azerbaijan, Georgia, Armenia, Albania, Kosovo, Belarus, Cyprus, Denmark, Finland, Malta, Portugal, Romania, Slovenia, Sweden, Israel, Bosnia and Herzegovina, Turkmenistan, Montenegro, Serbia, Tajikistan, Iceland, Liechtenstein</li> <li>3. Argentina, Brazil, Chile, Colombia, Peru, Ecuador, Paraguay, Uruguay, Salvador, Bolivia,</li> <li>Canada, Algeria, Mexico, Panama, Costa Rica, Nigeria, Kenya, Mauritius, Tanzania, Cote d'Ivoire, South Africa, Tunisia, Sierra Leone, Zambia, Ghana, Zimbabwe, Uganda, Angola, Ethiopia, Republic of Trinidad and Tobago, Dominica, Guatemala, Senegal, Algeria, Cameroon</li> <li>4. Qatar, Kuwait, Oman, Jordan, Lebanon, Iraq, United Arab Emirates, Saudi Arabia, Bahrain, Egypt, Libya</li> </ol> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):All channels</p> |
| Vehicle Attributes | <p>DS-7608NXI-I2/8P/S:Vehicle brand, vehicle color, vehicle type</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Plate number, license plate color, license plate type</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Plate Attributes       | DS-7608NXI-I2/8P/S:Plate number, license plate color, license plate type<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP: DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Vehicle brand, vehicle color, vehicle type                                                                                                                                                                                                                                                                  |
| <b>Video and Audio</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| IP Video Input         | DS-7608NXI-I2/8P/S:8-ch<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):8-ch<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:8                                                                                                                                                                                                                                                                                                                                                     |
| Incoming Bandwidth     | 80 Mbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Outgoing Bandwidth     | 256 Mbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| HDMI Output            | DS-7608NXI-I2/8P/S:4K( 3840×2160 )/30Hz, 2K( 2560×1440 )/60Hz , 1920×1080/60Hz<br>DS-7608NXI-I2/8P/S(标配)(E)(1×8T),DS-7608NXI-I2/8P/S(标配)(E)/HCSA/套装/1T/无包装:4K ( 3840×2160 ) /30Hz, 2K ( 2560×1440 ) /60Hz , 1920×1080/60Hz<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):4K (3840 × 2160)/30 Hz, 2K (2560 × 1440)/60 Hz, 1920 × 1080/60 Hz<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:4K (3840 × 2160)/60Hz, 4K (3840 × 2160)/30Hz, 2K (2560 × 1440)/60Hz, 1920 × 1080/60Hz |

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VGA Output           | DS-7608NXI-I2/8P/S:1920×1080/60Hz<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:1-ch, 1920 × 1080/60Hz<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E),DS-7608NXI-I2/8P/S(标配)(E)(1×8T),DS-7608NXI-I2/8P/S(标配)(E)/HCSA/套装/1T/无包装:1920×1080/60Hz                                                                                                                                                                                                                                                                                                                                            |
| Video Output Mode    | HDMI/VGA independent output                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| CVBS Output          | 1-ch, BNC (1.0 Vp-p, 75 Ω), resolution: PAL: 704 × 576, NTSC: 704 × 480                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Audio Output         | 1-ch, RCA (Linear, 1 KΩ)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Two-Way Audio        | 1-ch, RCA (2.0 Vp-p, 1 KΩ)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Decoding</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Decoding Format      | DS-7608NXI-I2/8P/S:H.265+/H.265/H.264+/H.264<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):H.265+/H.265/H.264+/H.264<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:H.265,H.265+,H.264,H.264+,MPEG4                                                                                                                                                                                                                                                                                                                                                                                      |
| Recording Resolution | DS-7608NXI-I2/8P/S:32 MP/24 MP/12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA /4CIF/DCIF/2CIF/CIF/QCIF<br>*: The NVR supports up to 4-ch 32 MP/24 MP IP video inputs.<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:12MP/8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):32 MP/24 MP/12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA /4CIF/DCIF/2CIF/CIF/QCIF<br>32MP/24MP/12MP/8MP/7MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF<br>*: The NVR supports up to 4-ch 32 MP/24 MP IP video inputs. |
| Synchronous playback | 8-ch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Live View Window Division | DS-7608NXI-I2/8P/S:1/2/4/6/8/9<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:1/4/6/8/9/16<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):1/2/4/6/8/9                                                                                                                                                       |
| Aux Port Window Division  | DS-7608NXI-I2/8P/S:1/2/4/6/8/9<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:1/4/6/8/9/16<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):1/2/4/6/8/9                                                                                                                                                       |
| Decoding Capability       | DS-7608NXI-I2/8P/S:Enable AI by NVR: 20-ch@1080p (30 fps)<br>Disable AI by NVR: 32-ch@1080p (30 fps)<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:16-ch @ 1080p (30 fps)<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Enable AI by NVR: 20-ch@1080p (30 fps)<br>Disable AI by NVR: 32-ch@1080p (30 fps) |
| Audio Compression         | DS-7608NXI-I2/8P/S:G.711ulaw/G.711alaw/G.722/G.726/AAC/MP2L2/PCM<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:G.711ulaw,G.711alaw,G.722,G.726,MP2L2<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):G.711ulaw/G.711alaw/G.722/G.726/AAC/MP2L2/PCM                                                          |
| Dual-Stream Recording     | Support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stream Type            | Video, Video & Audio                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Network</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Network Interface      | 1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Remote Connection      | DS-7608NXI-I2/8P/S:128<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):128                                                                                                                                                                                                                                  |
| Network Protocol       | DS-7608NXI-I2/8P/S:TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS, NTP, RTSP, SADP, SMTP, SNMP, NFS, iSCSI, ISUP, UPnP™, HTTP, HTTPS, ONVIF (Version 2.2), OTAP<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS, NTP, RTSP, SADP, SMTP, SNMP, NFS, iSCSI, ISUP, UPnP™, HTTP, HTTPS |
| API                    | DS-7608NXI-I2/8P/S:ONVIF (profile S/G); SDK; ISAPI<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):ONVIF (profile S/G); SDK; ISAPI                                                                                                                                                                          |
| Compatible Browser     | DS-7608NXI-I2/8P/S:IE11, Chrome V57, Firefox V52, Safari V12, Edge V89, or above version<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):IE11, Chrome V57, Firefox V52, Safari V12, Edge V89, or above version                                                                                              |
| Camera Access Protocol | ONVIF (Version 2.5), RTSP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| PoE                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Interface           | DS-7608NXI-I2/8P/S:8, RJ-45 10/100 Mbps self-adaptive Ethernet interface<br>8, RJ-45 10/100 Mbps self-adaptive Ethernet interface                                                                                                                                                                                                                                                                                                                                                                                                |
| Power               | DS-7608NXI-I2/8P/S:≤ 150W<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):≤ 150W<br><br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:≤ 120W                                                                                |
| Standard            | IEEE 802.3 af/at                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Auxiliary Interface |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| SATA                | 2 SATA interfaces                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Capacity            | DS-7608NXI-I2/8P/S:Up to 16 TB capacity for each disk<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:Up to 8 TB capacity for each disk<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):Up to 14 TB capacity for each disk |
| Serial Interface    | DS-7608NXI-I2/8P/S:N/A<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):<br><br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:RS-485 (half-duplex), RS-232, Keyboard                                                         |
| Alarm In/Out        | 4/1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| USB Interface       | Front panel: 1 × USB 2.0; Rear panel: 1 × USB 3.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |


| General      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power Supply | <p>DS-7608NXI-I2/8P/S:100 to 240 VAC, 50 to 60 Hz</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):100 to 240 VAC, 50 to 60 Hz</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:≤ 180 W</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| GUI Language | <p>DS-7608NXI-I2/8P/S:English, Russian, Bulgarian, Hungarian, Greek, German, Italian, Czech, Slovak, French, Polish, Dutch, Portuguese, Spanish, Romanian, Turkish, Japanese, Danish, Swedish Language, Norwegian, Finnish, Korean, Traditional Chinese, Thai, Estonian, Vietnamese, Croatian, Slovenian, Serbian, Latvian, Lithuanian, Uzbek, Kazakh, Arabic, Ukrainian, Kyrgyz, Brazilian Portuguese, Indonesian, Hebrew</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:≤ 180 W</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):English, Russian, Bulgarian, Hungarian, Greek, German, Italian, Czech, Slovak, French, Polish, Dutch, Portuguese, Spanish, Romanian, Turkish, Japanese, Danish, Swedish Language, Norwegian, Finnish, Korean, Traditional Chinese, Thai, Estonian, Vietnamese, Croatian, Slovenian, Serbian, Latvian, Lithuanian, Uzbek, Kazakh, Arabic, Ukrainian, Kyrgyz, Brazilian Portuguese, Indonesian, Hebrew</p> |
| Consumption  | <p>DS-7608NXI-I2/8P/S:≤ 30 W (without HDD and PoE off)</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):≤ 30 W (without HDD and PoE off)</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:≤ 15W</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Working Temperature   | <p>DS-7608NXI-I2/8P/S:-10 °C to 55 °C (14 °F to 131 °F)</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:-10°C ~ +55°C</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):-10° C to 55° C (14° F to 131° F)</p>                                         |
| Working Humidity      | 10% to 90%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Chassis               | <p>DS-7608NXI-I2/8P/S:1U chassis</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):1U chassis</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:1U</p>                                                                                                  |
| Dimension (W × D × H) | <p>DS-7608NXI-I2/8P/S:385 × 317 × 52 mm ( 15.2"× 12.5" × 2.0")</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):385 × 317 × 52 mm ( 15.2"× 12.5" × 2.0")</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:385 × 315 × 52 mm ( 11.6"× 9.5" × 1.6")</p> |
| Weight                | <p>DS-7608NXI-I2/8P/S:≤ 2.5 kg (without HDD, 5.5 lb.)</p> <p>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):≤ 2.5 kg (without HDD, 5.5 lb.)</p> <p>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:≤ 3 kg (6.6 lb)</p>                                           |

| Certification          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Obtained Certification | DS-7608NXI-I2/8P/S:CE, CB, REACH, WEEE, UKCA, LOA<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):CE, CB, REACH, WEEE, UKCA, LOA                                               |
| CE                     | DS-7608NXI-I2/8P/S:EN 55032:2015, EN 61000-3-2, EN 61000-3-3, EN 50130-4<br>DS-J142I(标配)/HCSA/NVR+IPC,DS-7608NXI-I2/8P/S(中性),DS-7608NXI-I2/8P/S(标配),DS-7608NXI-I2/8P/S(标配)(C),DS-7608NXI-I2/8P/S(中性)(C),DS-7608NXI-I2/8P/S(标配)(C)/美分渠道,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/4T,DS-7608NXI-I2/8P/S(标配)(C)/南美/套装专用/1T/无包装,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/2T,DS-7608NXI-I2/8P/S(标配)(C)/美分渠道/8T,DS-7608NXI-I2/8P/S(USA-STD)(C)/SP:<br>DS-7608NXI-I2/8P/S(中性)(E),DS-7608NXI-I2/8P/S(标配)(E):EN 55032:2015, EN 61000-3-2, EN 61000-3-3, EN 50130-4 |

## Physical Interface

| No. | Description           | No. | Description                 |
|-----|-----------------------|-----|-----------------------------|
| 1   | PoE interfaces        | 6   | ALARM IN/OUT                |
| 2   | LAN network interface | 7   | USB interface and VIDEO OUT |
| 3   | AUDIO IN/AUDIO OUT    | 8   | GND                         |
| 4   | HDMI interface        | 9   | Power supply                |
| 5   | VGA interface         | 10  | Power switch                |



## Available Model

DS-J142I(LAI(STD))/HCSA/NVR+IPC  
DS-7608NXI-I2/8P/S(NEU)  
DS-7608NXI-I2/8P/S(STD)  
DS-7608NXI-I2/8P/S(STD)(C)  
DS-7608NXI-I2/8P/S(NEU)(C)  
DS-7608NXI-I2/8P/S(STD)(C)/US Branch  
DS-7608NXI-I2/8P/S(STD)(C)/US Branch/4T  
DS-7608NXI-I2/8P/S(STD)(C)/FIESA SRL  
DS-7608NXI-I2/8P/S(STD)(C)/US Branch/2T

DS-7608NXI-I2/8P/S(STD)(C)/US Branch/8T

DS-7608NXI-I2/8P/S(USA-STD)(C)

DS-7608NXI-I2/8P/S(NEU)(E)


DS-7608NXI-I2/8P/S(STD)(E)

DS-7608NXI-I2/8P/S(STD)(E)/TIME-LAPSE

DS-7608NXI-I2/8P/S(STD)(E)(1 × 8T)

DS-7608NXI-I2/8P/S(STD)(E)/HCSA/1T

## ▪ Dimension



## ▪ Accessory

# See Far, Go Further



[www.hikvision.com](http://www.hikvision.com)  
[support@hikvision.com](mailto:support@hikvision.com)

