

# DS-K1109 Series Card Reader V1.1.2\_build251015

## Release Note

<b>Device Model:</b> DS-K1109EB/DB DS-K1109EKB/DKB DS-K1109EKFB/DKFB DS-K1109EKB-QR/DKB-QR DS-K1109EKFB-QR/DKFB-QR <b>E</b> for EM card, <b>D</b> for M1, Desfire,Felica <b>K</b> for keypad, <b>B</b> for Bluetooth <b>F</b> for fingerprint, <b>QR</b> for QR code	Firmware Version	ACS_1109_M4S_GML_GM_V1.1.2_build251015
--	------------------	--

### New Features

1. Add NFC log retrieval function to the card reader;
2. Disable button triggering for 700ms after swiping card to prevent accidental touch

### Optimized Features

Optimize beep response for touch button

# DS-K1109 Series Card Reader V1.1.0\_build241223

## Release Note

<b>Device Model:</b> DS-K1109EB/DB DS-K1109EKB/DKB DS-K1109EKFB/DKFB DS-K1109EKB-QR/DKB-QR DS-K1109EKFB-QR/DKFB-QR <b>E</b> for EM card, <b>D</b> for M1, Desfire,Felica <b>K</b> for keypad, <b>B</b> for Bluetooth <b>F</b> for fingerprint, <b>QR</b> for QR code	Firmware Version	ACS_DS- K1109_M4S_GML_GM_V1.1.0_build241223.zip
--	------------------	--

### Reason for Upgrade:

Increase the passage credentials for the K1109 card reader to meet the growing overseas market demand, including NFC and Bluetooth silent opening. (Compatible HC version is supposed to release at Jan. 2025)



**New Features**

1. Update access credentials to support NFC mobile e-tickets;
2. Update access credentials to support Bluetooth silent (opening door at 10cm proximity) functionality.

## DS-K1109 Series Card Reader V1.0.2\_build230421 Release Note

<p><b>Device Model:</b>                  DS-K1109EB/DB                  DS-K1109EKB/DKB                  DS-K1109EKFB/DKFB                  DS-K1109EKB-QR/DKB-QR                  DS-K1109EKFB-QR/DKFB-QR</p> <p><b>E</b> for EM card, <b>D</b> for M1, Desfire, Felica  <b>K</b> for keypad, <b>B</b> for Bluetooth  <b>F</b> for fingerprint, <b>QR</b> for QR code</p>	Firmware Version	ACS_DS- K1109_M4S_GML_GM_V1.0.2_build20230421
--	------------------	--

**Reason for Upgrade:**

DS-K1109 series card reader first time released.



**New Features**

3. Built-in EM or M1&Desfire&Felica card reading module
4. Built-in Bluetooth module
5. Optional Touch keypad module, Fingerprint module, QR code module

*Note:*

*Bluetooth and QR code function can only work with K260XT series access controller now*

6. Communication protocol:

RS485/Wiegand(set via DIP switch), connect to access control terminal or access controller.

7. Card reading distance:  $\leq 50$  mm
8. LED indicator: Power indicator, status indicator
9. IP65 protection level, wall mounting with screws

## **Customer Impact and Recommended Action**

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

For questions or concerns, please contact our local technical support team.

Note:

- Hikvision has all rights to alter, modify and cancel this notice.
- Hikvision doesn't give any guarantee for old models' stock.
- Hikvision is not liable for any typing or printing errors.
- For special model's change details, please contact our local technical support team.

Hikvision Digital Technology CO., Ltd.  
No. 555 Qianmo Road, Binjiang District, Hangzhou 310052,  
China  
Tel: +86-571-8807-5998  
FAX: +86-571-8993-5635  
Email: support@hikvision.com