

INDUSTRIAL DASHCAM G40 PRO

Version: V4.7.5 Release Note

Firmware Basic Information

TDR_G40P_EN_STD_4.7.5_R_260409.zip

Applicable Models

AE-DI5052-G40 PRO (US)

AE-DI5052-G40 PRO (EU)

Update Details

Fixing previous bugs and improve relevant functions and features

Improvements and Problem Fixing

1. Fixed an issue where APN parameters could not be configured successfully when Card 2 was inserted with an APN card while Card 1 was not inserted. (Additionally, the default priority for dual SIM card recognition has been changed from Card 2 to Card 1 as per product requirements).
2. Added **pop-up reminders** on all APP interfaces requiring **manual device restarts** after modifying configuration parameters
3. Fixed timeline gaps under no plug-in mode and ensured seamless playback in control mode, resolving the issue where the last second of playback segments failed to play.
4. Resolved alarm re-transmission failures on the G40P HCP platform. Now **ADAS & DSM alarms** can be successfully uploaded when reconnecting to platform.
5. Now G40Pro is adapted to support the **HikDashcam EE** APP.
6. Integrated the rear-view mirror detection of unfastened safety belt to Large Model.

7. Enabled facial recognition functionality on the HCP platform.
8. Added Driver Status Monitoring (DSM) for detecting driver absence. The feature is disabled by default, and attachments are uploaded to the platform by default.
9. Updated the algorithm to provide high, medium, and low sensitivity options for infrared blocking sunglasses.
10. Unified sensitivity settings—changed the VSD function APP sensitivity from numeric values (1,2,3) to high, medium, and low options

Customer Impact and Recommended Action

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

Note:

- Hikvision has all rights to alter, modify and cancel this notice.
- Hikvision doesn't give any guarantee for old models' stock.
- Hikvision is not liable for any typing or printing errors.
- For special model's change details, please contact our local technical support team.