

DeepinView Camera V5.9.24 Release Note

Firmware Basic Information	Firmware Version	Multi-Intelligence Models: IPCG_OS_V5.9.24_260702 ANPR Models: IPCG_SAP_V5.9.24_260702
---	-------------------------	---

■ New Features

[General Function]

1. Newly supports connecting an external PTZ via RS485, and supports controlling PT and wiper of the external PTZ.;
2. Newly support 1080P for sub-stream, only 4MP/8MP cameras support;

Stream Type: Main Stream, **Sub-Stream**, Third Stream, Fourth Stream, Fifth Stream

Video Type: Video Stream

Resolution: 1920*1080P

Bit Rate Type: Variable Bit Rate

Picture Quality: Medium

Video Frame Rate(fps): 10

3. Newly support AI coding, currently supported only under smart event intelligence;

Video | Audio | ROI | Target Cropping | Display Info. on Stream

Stream Type: **Main Stream**, Sub-Stream, Third Stream, Fourth Stream, Fifth Stream

Video Type: Video Stream

① Resolution: 1920*1080P

Bit Rate Type: Variable Bit Rate

Picture Quality: Medium

Video Frame Rate(fps): 25

*Max. Bit Rate: 8192 Kbps

*Average Bit Rate: 4096 Kbps

Video Encoding: H.264

H.264+ ☐

Profile: Medium

*I-Frame Interval: 50

SVC: On

① Smoothing: 50

AI Encoding: ☒

Save

4. Newly support QOS 1 and QOS 2 for MQTT function;

OTAP ISUP Hik-Connect ONVIF SDK Service Maintenance Data Upload **MQTT**

Enable ☐

*User Name

*Password

Protocol Type

*Server IP Address

*Port No.

Load Type

Quality of Service (QoS) ☒ QoS 0 ☐ QoS 1 ☐ QoS 2

Registration Status **Offline**

Save

5. New prompt added: After enabling the 100/120fps fps, the field of view will be cropped;

Common Settings Local System System Settings User Management Network Video/Audio Image PTZ Storage

Video Audio ROI Target Cropping

Stream Type Sub-Stream Third Stream Fourth Stream Fifth Stream

Video Type

Resolution

Picture Quality

Video Frame Rate(fps)

*Max. Bit Rate Kbps

Video Encoding

After enabling the 100/120 fps high frame rate, the field of view will be cropped.

6. Newly support custom HTTP alarm;

HIKVISION

Common Settings Local System Network Video/Audio Image PTZ Storage Event Event and Detection Alarm Setting Device Management

FTP Email Alarm Output Audible Alarm Output Alarm Server **Custom HTTP Alarm**

Enable ☒

HTTP Order

Authentication Mode ☐ Digest ☒ NA

*URL

Request Method ☒ POST ☐ PUT ☐ GET

Custom HTTP Alarm Information

Save

7. Due to power consumption considerations, the glass heating, motorized lens, and speaker functions of the model 7Ax7G2H are mutually exclusive:

a. Glass heating and motorized lens are mutually exclusive, with the motorized lens having higher priority. Glass heating must be turned off when the lens is moving, and it resumes to the previous configuration after the movement is completed.


b. Glass heating and the speaker are mutually exclusive. The speaker has higher priority. When the speaker is working, the glass heating needs to be turned off, and the glass heating resumes the previous configuration after speaker stop working.

c. The motorized lens and speaker are mutually exclusive. The motorized lens has higher priority. After the motorized lens moves, the speaker needs to be interrupted and turned off, and the speaker will not resume the previous announcement after the movement is completed.

8. The new version is compatible with 8Ax6G2 cameras.


[VCA]

1. Newly supports scheduled switching of VCA functions.




[IPCG_OS] Multi-Intelligence Models


1. [Multi-Dimension People Counting] Newly supports dynamic deduplication of clothes, supports configuration of sensitivity and filtering time interval;



2. [AIOP] Newly support email linkage;



3. [Face Comparison] Newly support configure capture threshold in the best comparison mode, if the score is lower than the set value, the target will be filtered directly without being reported;



4. [On/off Duty Detection] Support general alarm settings, including alarm interval, first alarm delay, and

alarm times.

General Alarm Settings

*First Alarm Delay SEC

① *Alarm Interval SEC

① Alarm Times ☒

*Alarm Times

[IPCG_SAP]ANPR Models:

1. [Parking Management] Display parking space area numbers in 3-digit format;

Enable ☒

Parking Space Area

No.	Name	Parking Space Status	License Plate No.	Pa Tir
1	001	Vacant	Unknown	0
2	002	Vacant	Unknown	0
3	003	--	--	--
4	004	--	--	--

2. [Vehicle Event Detection]Newly support vehicle statistics;

Smart Mode ☒ All the smart application will be unavailable and the device resources will be released after Smart Mode is disabled.

① Open Platform ② Set Application

Open Platform stores smart applications and events. You can Import and manage the built-in applications or those supplied by the third party.

Import Application Import License Scheduled-Switch Clear Memory Disable All Enabling multiple smart applications at the same time may affect the device performance. Please set it properly.

Road Traffic ☒ Link Channels : 1

Smart Event ☒ Link Channels : 1

Parking Management ☒ Link Channels : 1


Vehicle Event Detection ☒ Link Channels : 1

Next

☒ Traffic Event Detection
☐ Parking Detection
☐ Congestion Detection
☒ Vehicle Statistics

Cancel OK

3. [ANPR] Newly support trigger ANPR alarm by input a license plate number manually;



4. [ANPR] Newly support picture capture filename extension for FTP/SD card :

- a. The filename supports the selection of delimiters ".", ",", "-", "_", "=";
- b. The field section support vehicle model, car brand, car color, etc. and also supports customization.;
- c. Support custom time format sequence.

FTP Host

FTP Picture Name ☐ Default ☒ Custom

Picture Name 

Picture Name ✕

Name Format

 Clear All

Example: capture_time{YYYY-MM-DD}_plate_No_alarm_type.jpg

Named Item

Named Item (3/10)

☒ Capture Time ☒ License Plate...

☒ Alarm Type ☐ Camera Name

Date Format

Separator

5. [ANPR]Newly support JSON format for Alarm upload.

When alarm is triggered, external device will receive alarm message.

Wiegand Linkage ☐ Select All
☐ WD-1

Message Format ☐ XML ☒ JSON

Save Copy to...

6. [ANPR] Newly support for SFTP, supports configure through domain name.

Common Settings

Local

System

Network

Video/Audio

Image

PTZ

Storage

Event

Event and Detection

Alarm Setting

Device Management

FTP Email Alarm Output Audible Alarm Output Alarm Server Custom HTTP Alarm

FTP Protocol SFTP

*Server IP Address 0.0.0.0

*Port No. 21

*User Name

*Password

Directory Structure Save in the root directory

Upload Picture

Enable Automatic Network Replenishment

Test

Save

7. [ANPR] Newly support Country/Region and Category in the Middle East license allow list and block list database.

Add

License Plate No. *

Type

☒ Allowlist ☐ Blocklist

Creation Time

2026-07-13

Effective Start Date

2026-07-13

Effective End Date

2026-07-13

Wiegand CardID

Area

Middle East


Country/Region

General

License Plate Category *

OK Cancel

8. [ANPR] Newly support check traffic flow statistics in application display.



■ Modify Features

V5.9.24_260702:

Fix some known bugs.

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635
Email: overseabusiness@hikvision.com

Supported Models

[IPCG_OS]

Product series	Product Models
IPC 7 Series	iDS-2CD7126G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7126G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZHSY(1T)(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZHSY(1T)(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7026G2-AP(O-STD)
IPC 7 Series	iDS-2CD7046G2-AP(O-STD)
IPC 7 Series	iDS-2CD7046G2-AP(O-STD)(Unpack)
IPC 7 Series	iDS-2CD7186G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7186G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7186G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7186G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD71C6G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD71C6G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD71C6G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD71C6G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(1T)(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A26G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS(1T)(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7AC6G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7AC6G2-IZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7126G2-IZS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7126G2-IZS(2.8-12mm)(O-NEU)

IPC 7 Series	iDS-2CD7126G2-IZS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7126G2-IZS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7126G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7126G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZS(1T)(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZS(1T)(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZS(1T)(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZS(1T)(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZHSY(1T)(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZHSY(1T)(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A26G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(1T)(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A26G2-IZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A26G2-IZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS(1T)(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7026G2-AP(O-NEU)
IPC 7 Series	iDS-2CD7046G2-AP(O-NEU)
IPC 7 Series	iDS-2CD7046G2-AP(O-NEU)(Unpack)
IPC 7 Series	iDS-2CD7A86G2-IZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A26G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A26G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(1T)(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(1T)(8-32mm)(O-NEU)

IPC 7 Series	iDS-2CD7A46G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A26G2-IZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A26G2-IZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS(1T)(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS(1T)(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7086G2-AP(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7146G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7146G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7186G2-IZS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7186G2-IZS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7186G2-IZS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7186G2-IZS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7086G2-AP(O-NEU)
IPC 7 Series	iDS-2CD7A47G2-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A87G2-XZHSY(2.8-12mm)(O-STD)

IPC 7 Series	iDS-2CD7A45G2-IZHSY(4.7-118mm)(O-STD)
IPC 7 Series	iDS-2CD7A47G2-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A87G2-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A45G2-IZHS(4.7-118mm)(O-STD)
IPC 7 Series	iDS-2CD7086G2-AP(O-STD)(Unpack)
IPC 8 Series	iDS-2CD8A46G2-XZHS(0832/4)(O-STD)
IPC 8 Series	iDS-2CD8A46G2-XZHSY(0832/4)(O-STD)
IPC 8 Series	iDS-2CD8A86G2-XZHS(1050/4)(O-STD)
IPC 8 Series	iDS-2CD8A86G2-XZHSY(1050/4)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(6-132mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS(6-132mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2-XZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2-XZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A47G2-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A87G2-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A45G2-IZHSY(4.7-118mm)(O-NEU)
IPC 7 Series	iDS-2CD7A47G2-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A87G2-XZHS(2.8-12mm)(O-NEU)

IPC 7 Series	iDS-2CD7A45G2-IZHS(4.7-118mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7086G2-AP(O-NEU)(Unpack)
IPC 8 Series	iDS-2CD8A46G2-XZHS(0832/4)(O-NEU)
IPC 8 Series	iDS-2CD8A46G2-XZHSY(0832/4)(O-NEU)
IPC 8 Series	iDS-2CD8A86G2-XZHS(1050/4)(O-NEU)
IPC 8 Series	iDS-2CD8A86G2-XZHSY(1050/4)(O-NEU)
IPC 7 Series	iDS-2CD7586G2-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2-XZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2-XZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2-XZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2-XZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2-XZHS(2.8-12mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2-XZHS(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2-XZHS(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2-XZHS(2.8-12mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2-XZHSY(2.8-12mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2-XZHSY(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2-XZHSY(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2-XZHSY(2.8-12mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2-XZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2-XZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(8-32mm)(O-NEU)

IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHSY(6-132mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2-IZHS(6-132mm)(O-NEU)
IPC 7 Series	iDS-2CD7AC6G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7AC6G2-IZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD70C6G2-AP(O-STD)
IPC 7 Series	iDS-2CD70C6G2-AP(O-STD)(Unpack)
IPC 7 Series	iDS-2CD71C6G2-IZS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD71C6G2-IZS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD71C6G2-IZS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD71C6G2-IZS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7AC6G2-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7AC6G2-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7AC6G2-IZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7AC6G2-IZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD70C6G2-AP(O-NEU)
IPC 7 Series	iDS-2CD70C6G2-AP(O-NEU)(Unpack)
IPC 7 Series	iDS-2CD7587G2-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7587G2-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7587G2-ZHS/RC(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2-ZHS/RC(2.8-12mm)(O-STD)

IPC 7 Series	iDS-2CD7A46G2-IZHSY/4G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/4G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2-IZHS/4G(2.8-12)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2-IZHS/4G(2.8-12)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7587G2-XZHSY(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7547G2-XZHSY(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7587G2-XZHS(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7547G2-XZHS(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7587G2-ZHS/RC(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7547G2-ZHS/RC(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7587G2-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7547G2-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7587G2-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7547G2-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7587G2-ZHS/RC(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7547G2-ZHS/RC(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7587G2-ZHS/RC(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2-ZHS/RC(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7587G2-ZHS/RC(10-50mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2-ZHS/RC(10-50mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/4G(2.8-12mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/4G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/4G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/4G(8-32)(B)O-STD/LA

IPC 7 Series	iDS-2CD7A46G2-IZHS/4G(10-50)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2-IZHSY/4G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2-IZHSY/4G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/4G(8-32)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2-IZHSY/4G(10-50)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(2.8-12mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHS/5G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/5G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/4G(2.8-12mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/4G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/4G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/4G(8-32)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2-IZHS/4G(10-50)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2-IZHSY/4G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/4G(10-50mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/4G(2.8-12)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2-IZHSY/4G(10-50)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(2.8-12mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHS/5G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2-IZHSY/5G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2-IZHSY/4G(2.8-12mm)(B)O-NEU)
IPC 7 Series	iDS-2CD70166G2-AP(O-STD)
IPC 7 Series	iDS-2CD70166G2-AP(O-STD)(Unpack)
IPC 7 Series	iDS-2CD71166G2-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD71166G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A166G2-IZHSY(2.8-12mm)(O-STD)

IPC 7 Series	iDS-2CD7A166G2-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A47G2H-XZHSY(10-50mm)(O-STD)
IPC 7 Series	iDS-2CD7A87G2H-XZHSY(10-50mm)(O-STD)

Supported Models	
[IPCG_SAP]	
Product series	Product Models
IPC 7 Series	iDS-2CD7A47G2/P-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A87G2/P-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A45G2/P-IZHSY(4.7-118mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A47G2/P-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A87G2/P-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A45G2/P-IZHS(4.7-118mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(2.8-12mm)(O-STD)

IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY(6-132mm)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS(6-132mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2/P-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2/P-XZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2/P-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2/P-XZHSY(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7A47G2/P-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A87G2/P-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A45G2/P-IZHSY(4.7-118mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A47G2/P-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A87G2/P-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A45G2/P-IZHS(4.7-118mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2/P-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2/P-XZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2/P-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2/P-XZHSY(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2/P-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7586G2/P-XZHS(8-32mm)(O-STD)

IPC 7 Series	iDS-2CD7586G2/P-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2/P-XZHS(8-32mm)(O-STD)
IPC 7 Series	iDS-2CD7546G2/P-XZHS(2.8-12mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2/P-XZHS(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2/P-XZHS(2.8-12mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2/P-XZHS(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2/P-XZHSY(2.8-12mm)(O-STD)铂金灰
IPC 7 Series	iDS-2CD7586G2/P-XZHSY(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7586G2/P-XZHSY(2.8-12mm)(O-STD)铂金灰
IPC 7 Series	iDS-2CD7546G2/P-XZHSY(8-32mm)(O-STD)/铂金灰
IPC 7 Series	iDS-2CD7546G2/P-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2/P-XZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7586G2/P-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7546G2/P-XZHS(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY(6-132mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(8-32mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS(6-132mm)(O-NEU)
IPC 7 Series	iDS-2CD7086G2/P-AP(O-NEU)
IPC 7 Series	iDS-2CD7086G2/P-AP(O-STD)
IPC 7 Series	iDS-2CD7086G2/P-AP(O-NEU)(Unpack)
IPC 7 Series	iDS-2CD7086G2/P-AP(O-STD)(Unpack)

IPC 7 Series	iDS-2CD7046G2/P-AP(O-NEU)
IPC 7 Series	iDS-2CD7046G2/P-AP(O-STD)
IPC 7 Series	iDS-2CD7046G2/P-AP(O-NEU)
IPC 7 Series	iDS-2CD7046G2/P-AP(O-STD)
IPC 7 Series	iDS-2CD7587G2/P-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2/P-XZHSY(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7587G2/P-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7547G2/P-XZHS(2.8-12mm)(O-STD)
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/4G(1050)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(10-50)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/4G(2812)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/4G(1050)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/4G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/4G(8-32mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/4G(2.8-12)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/4G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/4G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(8-32mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/4G(10-50mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7587G2/P-XZHSY(2.8-12mm)(eF)O-STD

IPC 7 Series	iDS-2CD7547G2/P-XZHSY(2.8-12mm)(eF)O-STD
IPC 7 Series	iDS-2CD7587G2/P-XZHS(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7547G2/P-XZHS(2.8-12mm)(eF)(O-STD)
IPC 7 Series	iDS-2CD7587G2/P-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7547G2/P-XZHSY(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7587G2/P-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7547G2/P-XZHS(2.8-12mm)(O-NEU)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/4G(8-32mm)(B)(O-STD)
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/4G(2.8-12)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/4G(8-32)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/4G(10-50)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/4G(2.8-12)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/4G(2812)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/4G(8-32)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A46G2/P-IZHS/5G(8-32mm)(B)O-STD
IPC 7 Series	iDS-2CD7A46G2/P-IZHSY/5G(2.8-12)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(2.8-12mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(2.8-12)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(8-32)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/4G(8-32)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/4G(8-32)(B)O-STD/LA
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/5G(8-32mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(2.8-12)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHSY/5G(8-32mm)(B)O-STD
IPC 7 Series	iDS-2CD7A86G2/P-IZHS/4G(2.8-12mm)(B)O-NEU
IPC 7 Series	iDS-2CD7A47G2H/P-XZHSY(10-50mm)(O-STD)
IPC 7 Series	iDS-2CD7A87G2H/P-XZHSY(10-50mm)(O-STD)
IPC 8 Series	iDS-2CD8A46G2/SA-XZHS(10-50mm)(O-STD)

