

DS-K7R05-868 Wireless Keyfob



- Supports one-to-one and one-to-many (Max. 6 lanes) communication pairing.
- Convenient to hang on the key chain, easy to use for security managers
- Simple and convenient control and management for turnstiles.


▪ **Specification**

System	
Battery life	400 days based on 100 clicks per day.
Hardware	
Button	x 4
General	
Indicator	green for 1 to 1 mode. blue for 1 to many mode. red for power out.
Working temperature	-10 °C to 55 °C (14 °F to 131 °F)
Working humidity	10% to 90% (No condensing)
Dimensions	Without package: 35 mm × 64 mm × 11.2 mm (1.2" × 2.1" × 0.4") With package: 60 mm × 40 mm × 80 mm (2.0" × 1.3" × 2.0")
Weight	Net: 15.5g, Gross: 50g
Approval	CE/CB/RoHS/REACH/WEEE
Power supply method	3V CR2032
Configuration	
Module selection	NO

▪ **Available Model**

DS-K7R05-868

▪ **Dimension**



▪ **Accessory**

▪ **Optional**

DS-K3B501SX	DS-K3B411BX	DS-K3G411X	DS-K3BC430LX
			

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

