

**DS-KSMETE1****Expansion board for 1 E1/T1/J1 Port**

- Supporting 1 onboard E1/T1/PRI port to expand 1 E1/T1/PRI trunk for SIP server

## ▪ Specification

| Capacity           |                                                                                                                                                                                                                                   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Max E1/T1/J1 Ports | 1                                                                                                                                                                                                                                 |
| General            |                                                                                                                                                                                                                                   |
| Supported model    | DS-KS6160、 DS-KS6170                                                                                                                                                                                                              |
| Signaling          | PRI, MFC R2, SS7, E&M E1 PRI                                                                                                                                                                                                      |
| MFC R2             | Argentina, Brazil, China, Czech Republic, Colombia, Ecuador, Indonesia, ITU, Mexico, Philippines, Venezuela                                                                                                                       |
| SS7                | ITU, ANSI, China                                                                                                                                                                                                                  |
| Switch type        | E1 PRI Switch Type: EuroISDN, Q.SIG<br>T1 PRI Switch Type: EuroISDN, National 2, National 1, DMS100, AT&T 4ess, Lucent 5ess, Q.SIG<br>T1 PRI Switch Type: EuroISDN, National 2, National 1, DMS100, AT&T 4ess, Lucent 5ess, Q.SIG |

## ▪ Available Model

DS-KSMETE1

## ▪ Accessory

### ▪ Optional

| DS-KS6160<br>SIP Server                                                             | DS-KS6170<br>SIP Server                                                              |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |

# See Far, Go Further



[www.hikvision.com](http://www.hikvision.com)  
[support@hikvision.com](mailto:support@hikvision.com)

