HIKVISION

Traffic Server DS-TP50-16E(08H) V5.4.5_230220

Release Note

Legal Information

About this Document

Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Document is subject to change, without notice, due to updates or other reasons.

Please use this Document with the guidance and assistance of professionals trained in supporting the Product.

LEGAL DISCLAIMER

TABLE OF CONTENTS

Chapter 1 **Firmware Version**

Traffic Server DS-TP50-16E(08H) V5.4.5_230220

Chapter 2 **What's New**

2.1 New Features

2.1.1. Image composition

2-image composition supports close-up image; 3-image composition method are added.

2.1.2. Text overlay

It is configurable whether each overlay item should be wrapped; the section parking overlay item is accurate to the second; the signed speed limit overlay item takes effect for all speeding data; the illegal behavior description in the section speed measurement overspeed data superposition uses the illegal description in the speeding violation dictionary ; Add font size 48.

2.1.3. Display screen

Increase the display of the three data information recently sent to the screen, which is convenient for users to troubleshoot the problem that the data cannot be uploaded to the screen; supports dot matrix Yangbang screen; adds black and white list data control.

2.1.4. Sound column

Support arming schedule configuration.

2.1.5. System maintenance

Support serial port printing log saving and exporting; the baud rate of RS-232 serial port 1 does not support modification.

2.1.6. Video playback

Support manual generation of events and normal query through data query;

2.1.7. Support SDK and local service port number configuration

2.1.8. Support Radar-Assisted camera access protocol

2.1.9. Manual review of event data adds a delete function

See Far, Go Further